





#### ICON LEGEND



Products are manufactured using Proguard technology.



Products are manufactured using PG Plus technology.



Products are able to be installed as permeable paving stones.



Product falls under drycast product warranty.



Product falls under wetcast product warranty.



To prevent cosmetic damage, do not use de-icing agents.



Use of a plate or roller compactor is recommended. If using a plate, a protective pad should be used to protect the paving surface.



The use of compaction equipment is not recommended and may void warranty.



WALLS & COLUMNS



OUTDOOR LIVING



POOLSIDES




WALKWAYS & STAIRWAYS




PATIOS



DRIVEWAYS





PAVING STONES	
CLARION	06
GRANDVIEW™	08
HERITAGE	
HOLLAND	12
LIGONIER ACCENT	14
MARMIRO STONES®	16
STRATFORD	18
WALLO	•
WALLS	
CASTLEROK®	
COUNTRY STONE	
MARMIRO STONES® WALL BLOCK	
ROSETTA® GRAND LEDGE	
ROSETTA® KODAH	
ROSETTA® OUTCROPPING	
VERSA-LOK® STANDARD	
VERSA-LOK® STANDARD WEATHERED	
VERSA-LOK® HARMONY	
VERSA-LOK® SQ. FT. BLOCK	
GEOSTONEMAGNUMSTONE® *NEW*	42
MAGNUMSTONE® *NEW*	43
CAPS & COPING	44
C CAPS & C-2 CAPS	۳۳ ۵۸
DOUBLE BULLNOSE CAPS	
LIMESTONE COLUMN CAPS	
MARMIRO STONES® CAPS	
ROSETTA® DIMENSIONAL COPING	
ROSEITA DIMENSIONAL COFING	51
STEPS & STEPPING STONES	52
CABIN ROCK™	54
LANDING STONE	
ROSETTA® DIMENSIONAL STEPS	56
ROSETTA® IRREGULAR STEPS	58
LANABUR TRAINING PROCESS	, .
LAMPUS TRAINING PROGRAM	
LAMPUS.COMPROGUARD & PG PLUS	62
PRODUCT WARRANTY	65



# PAVING STONES

CLARION	06
GRANDVIEW <sup>TM</sup>	0 8
HERITAGE	10
HOLLAND	1 2
LIGONIER ACCENT	1 4
MARMIRO STONES®	16
STRATFORD	18





## **CLARION**













8" x 8" x 2 <sup>3</sup>/8"



CONTAINED IN PALLET









The colors of products shown are for reference only. Actual colors may vary.





#### **GRANDVIEW**<sup>™</sup>













12" x 12" x 2 ³/8" 6" x 12" x 2 ³/8"



PLAZA 18" x 18" x 2 <sup>3</sup>/8" 99 sq. ft. / pallet 2,732 lbs. / pallet























RIDGETOP \*





### **HERITAGE**



6 1/4" x 9 3/8" x 2 3/8" 111 sq. ft. / pallet 3,004 lbs. / pallet



6 1/4" x 6 1/4" x 2 3/8" 104 sq. ft. / pallet 2,840 lbs. / pallet



4 <sup>9</sup>/16" x 6 <sup>1</sup>/4" x 2 <sup>3</sup>/8" 104 sq. ft. / pallet 2,840 lbs. / pallet









#### **HOLLAND**











3 1/8" thick by special order.



ACCENT: 3 15/16" x 7 7/8" x 2 3/8" Soldier: 90 ln. ft. / 1/2 pallet Sailor: 180 ln. ft. / 1/2 pallet 58.3 sq. ft. / 1/2 pallet 1,622 lbs. / 1/2 pallet















**ESPRESSO** LIGHT BROWN ONLY AVAILABLE IN PG PLUS HALF-PALLET ACCENTS.





### LIGONIER ACCENT















5" x 7 1/4" x 2 3/8"



5" x 6 1/4" x 2 3/8"



5" x 5" x 2 3/8"



CONTAINED IN PALLET

ONLY AVAILABLE IN PG PLUS HALF-PALLET ACCENTS. —

The colors of products shown are for reference only. Actual colors may vary.





### MARMIRO STONES® - PAVERS





8" FRENCH PATTERN 8" x 8" x 1  $^3$ /16"  $\cdot$  8" x 16" x 1  $^3$ /16"  $\cdot$  16" x 16" x 1  $^3$ /16"  $\cdot$  16" x 24" x 1  $^3$ /16" 144 sq. ft. / crate  $\cdot$  2,470 lbs. / crate



8" x 8" x 1 3/16" • 8" x 16" x 1 3/16" 16" x 16" x 1 3/16" • 16" x 24" x 1 3/16" 176 sq. ft. / crate • 2,860 lbs. / crate

Available Colors: Takoma Silver



















#### **STRATFORD**













6 1/4" x 6 1/4" x 2 3/8" 104 sq. ft. / pallet 2,815 lbs. / pallet



4 %/16" x 6 1/4" x 2 3/8" 91 sq. ft. / pallet 2,460 lbs. / pallet



Circle: Five Shapes & Sizes 64 sq. ft. / pallet 1,700 lbs. / pallet



ACCENT: 6 1/4" x 9 3/8" x 2 3/8" Soldier: 78 In. ft. / 1/2 pallet Sailor: 117 In. ft. / 1/2 pallet 61.7 sq. ft. / 1/2 pallet 1,670 lbs. / 1/2 pallet



ACCENT: 4 <sup>9</sup>/16" x 6 <sup>1</sup>/4" x 2 <sup>3</sup>/8" Soldier: 93 In. ft. / 1/2 pallet Sailor: 127.5 In. ft. / 1/2 pallet 50.5 sq. ft. / 1/2 pallet 1,370 lbs. / 1/2 pallet











ANTHRACITE ESPRESSO

ONLY AVAILABLE IN PG PLUS HALF-PALLET ACCENTS.









#### **CASTLEROK®**





9"- 6" x 8" x 4" 90 units / pallet 22.5 face sq. ft. / pallet 1,710 lbs. / pallet



















The colors of products shown are for reference only. Actual colors may vary.





### **COUNTRY STONE**





12" x 8" x 4" 60 units / pallet 1,860 lbs. / pallet




















The colors of products shown are for reference only. Actual colors may vary.





### MARMIRO STONES® - WALL BLOCK



SPLIT-FACE WALL BLOCK 6" x 8" x Random Length 33 sq. ft. / crate 2,425 lbs. / crate







The colors of products shown are for reference only. Actual colors may vary. Additional shapes and finishes also available.





#### ROSETTA® GRAND LEDGE







4,000 lbs. / pallet















4-SIDED



43" x 20" x 12"



35" x 24" x 12"

— CONTAINED IN PALLET —

51" x 26" x 12" 14.5 sq. ft. / pallet 3,950 lbs. / pallet

46" x 21" x 12"

— CONTAINED IN PALLET —











#### **ROSETTA® KODAH**



42" x 10 1/2" x 6" 21 face sq. ft. / pallet 2,400 lbs. / pallet



30" x 10 1/2" x 6"



CONTAINED IN PALLET -

21" x 10 1/2" x 6"



" 12" x 10 1/2" x 6"



CORNER
21" x 10 1/2" x 6"
31.5 face sq. ft. / pallet
2,400 lbs. / pallet



KODAH FIRE PIT
51" (+/-) x 18" fire pit
27" x 18" steel insert (SOLD SEPARATELY)
2,400 lbs. / pallet
(FULL PALLET OF CORNERS)




CHARCOAL



MOUNTAIN RUSTIC





#### ROSETTA® OUTCROPPING


















39" x 27" x 6"

48" x 30" x 12" One 12" & One 6" / pallet 1,650 lbs. / pallet

CONTAINED IN PALLET ---



MOUNTAIN RUSTIC





#### **VERSA-LOK® STANDARD**





16" x 12" x 6" 24 units / pallet 1.5 units / sq. ft. 2,100 lbs. / pallet



HALF CORNER 12" x 8" x 6" 48 units / pallet 2,100 lbs. / pallet



FULL RETURN CORNER 16" x 8" x 6" 36 units / pallet 2,280 lbs. / pallet



BLACK WALNUT

















The colors of products shown are for reference only. Actual colors may vary.





#### **VERSA-LOK® STANDARD WEATHERED**





16" x 12" x 6" 24 units / pallet 1.5 units / sq. ft. 2,100 lbs. / pallet



HALF CORNER 12" x 8" x 6" 48 units / pallet 2,100 lbs. / pallet




FULL RETURN CORNER 16" x 8" x 6" 36 units / pallet 2,280 lbs. / pallet







The colors of products shown are for reference only. Actual colors may vary.





#### **VERSA-LOK® HARMONY**





STANDARD 16" x 12" x 6" 24 units / pallet 1.5 units / sq. ft. 2,100 lbs. / pallet



COBBLE 8" x 12" x 6" 48 units / pallet 3 units / sq. ft. 1,872 lbs. / pallet



STANDARD WEATHERED 16" x 12" x 6" 24 units / pallet 1.5 units / sq. ft. 2,100 lbs. / pallet



COBBLE WEATHERED 8" x 12" x 6" 48 units / pallet 3 units / sq. ft. 1,872 lbs. / pallet








The colors of products shown are for reference only. Actual colors may vary.





## **VERSA-LOK® SQ. FT. BLOCK**





18" x 12" x 8" 24 units / pallet 2,256 lbs. / pallet



CORNER: 12" x 6" x 8" 36 units / pallet 1,730 lbs. / pallet



BLACK WALNUT












The colors of products shown are for reference only. Actual colors may vary.





#### **GEOSTONE**




18" x 12" x 8" 24 units / pallet 1,920 lbs. / pallet

THIS PRODUCT IS SPECIAL ORDER ONLY.




DARK BROWN







SANDSTONE



#### MAGNUMSTONE \* \*NEW\*



Height: 24" • Depth: 25"
Face Width: 48" • Back Width: 39" 2 units / pallet • 2,710 lbs. / pallet



STANDARD BLOCK 2 units / pallet • 2,750 lbs. / pallet



Height: 24" • Depth: 25"
Face Width: 48" • Back Width: 39"

Height: 24" • Depth: 25"
Face Width: 48" • Back Width: 39" 2 units / pallet • 2,440 lbs. / pallet Visit LAMPUS.COM for more fitting information.



UNIVERSAL END CORNER Height: 24" • Depth: 28"
Front Width: 4" • Back Width: 9" 2 units / pallet • 680 lbs. / pallet



Height: 6" • Depth: 24" Width: 48" 6 units / pallet • 3,480 lbs. / pallet








NATURAL









### C CAPS & C-2 CAPS










C CAPS - WEATHERED 16" x 12" x 3 <sup>5</sup>/<sub>8</sub>" 48 units / pallet 2,700 lbs. / pallet






C-2 CAPS - WEATHERED 16" x 13" x 3 <sup>5</sup>/s" Split on both sides 36 units / pallet 2,160 lbs. / pallet

WEATHERED C CAPS; ONLY STOCKED IN ALLEGHENY, DESERT, & SLATE

2,160 lbs. / pallet
2,160 lbs. / pallet
2,160 lbs. / pallet
WEATHERED C-2 CAPS; ONLY STOCKED IN ANTHRACITE & ESPRESSO



ALLEGHENY \* ANTHRACITE \*





















\*C-2 CAPS STOCK COLORS
The colors of products shown are for reference only. Actual colors may vary.






#### **DOUBLE BULLNOSE CAPS**




6" x 13" x 2 <sup>3</sup>/8" 78 units / pallet 1,170 lbs. / pallet







#### LIMESTONE COLUMN CAPS





#### MARMIRO STONES® COPING



24" COPING BULLNOSE 24" x 12" x 2 1/4" 64 lbs. / unit Available Colors: Afyon Cloud®, Crema Eda®, Deep Blue®, Terra



24" COPING BULLNOSE 24" x 12" x 2" 64 lbs. / unit












TAKOMA SILVER
ANTIQUED TRAVERTINE AN

TERRA ANTIQUED TRAVERTINE

50



#### ROSETTA® DIMENSIONAL COPING







24" x 12 1/2" x 2 1/2" 63 In. ft. / pallet 1,992 lbs. / pallet



18" x 12 1/2" x 2 1/2"



END: 19" x 12 1/2" x 2 1/2"

CONTAINED IN PALLET



MOUNTAIN RUSTIC











#### **CABIN ROCK™**



54" x 22" x 3" 3 units / pallet 640 lbs. / pallet



42" x 26" x 3"




48" x 24" x 3"

CONTAINED IN PALLET -



CHARCOAL

MOUNTAIN RUSTIC



## LANDING STONE








48" x 30" x 7" 1 unit / pallet 880 lbs. / pallet



MOUNTAIN RUSTIC

The colors of products shown are for reference only. Actual colors may vary.





#### ROSETTA® DIMENSIONAL STEPS







48" x 18" x 7" 4 units / pallet 1,820 lbs. / pallet





72" x 30" x 7" 2 units / pallet 2,640 lbs. / pallet



MOUNTAIN RUSTIC

The colors of products shown are for reference only. Actual colors may vary.





#### ROSETTA® IRREGULAR STEPS











48" x 28" x 7"



48" x 24" x 7"

- CONTAINED IN PALLET -



42" x 26" x 7"



3 units / pallet 3,900 lbs. / pallet



72" x 29" x 7"

CONTAINED IN PALLET -



72" x 29" x 7"



CHARCOAL



MOUNTAIN RUSTIC





**ON-SITE** 




# TRAINING PROGRAM


We are pushing industry development to a new level with our expansive training center. We offer learning opportunities for hardscapes and masonry in an effort to help grow and strengthen our industry. With support ranging from classroom presentations to handson trainings, you can gain new perspectives and real-world experience to keep your teams informed and prepared for success.

Can't make it to our location? We also have on-site training opportunities available. Call us, or email training@lampus.com for more information.

"Lampus is on the forefront of servicing and supporting the contractor by being in the trenches, literally, with the Lampus Training Center and On-site Support Program." Gerry Garcia - Rosetta Hardscapes







#### INSPIRATION AT YOUR FINGERTIPS













HOUZZ







**PINTEREST** 





FACEBOOK

LINKEDIN

TWITTER

YOUTUBE



#### **PROGUARD**

#### **PG PLUS**







Proguard is an R.I. Lampus Company proprietary mix design and production process with a tight, attractive surface that more closely resembles natural stone. This manufacturing process combines a traditional base mixture of coarse aggregates with a surface mixture of fine, durable materials. In addition to durability, the surface layer keeps the larger aggregates from exposure over the life of the paver, making Proguard pavers significantly more wear resistant.






SCAN THIS QR CODE TO VIEW OUR PROGUARD VIDEO

IPHONE: USE YOUR CAMERA APP ANDROID: USE ANY QR CODE READER APP



# ENHANCED SURFACE PROTECTION AND BOLDER COLORS WITH PG PLUS

As an addition to the Proguard system, PG Plus incorporates integral admixtures and an in-line treatment that is applied during the manufacturing process. This affords you longer-lasting benefits, unlike topical sealers applied after installation. The application of this integral system allows for bolder colors, fade resistance, stain resistance, and greater protection from environmental effects like acid rain. In addition to the direct product benefits, you can also rest easy knowing that PG Plus is an environmentally friendly, water-based system.





SCAN THIS QR CODE TO VIEW OUR PG PLUS VIDEO

IPHONE: USE YOUR CAMERA APP ANDROID: USE ANY QR CODE READER APP

#### PRODUCT WARRANTY

R.I. Lampus Company guarantees that all dry-cast wall and paving stone products meet or exceed the requirements of ASTM C-1372 for walls and ASTM C-936 for paving stones. This warranty is limited to the original purchaser for residential applications installed and maintained according to R.I. Lampus Company installation guidelines or industry standards. Damage sustained as a result of improper installation or design, chemical application, excessive loading, or other misuse is expressly excluded from this warranty. Should any dry-cast product prove defective, it will be replaced without cost. Replacement labor and shipping costs are not included in this guarantee. Proof of purchase is required. Retain the warranty tag with batch information for all claims.

R.I. Lampus Company specifically disclaims any warranty relative to color, color consistency, or texture due to natural material variations. Color matching of any replacement units cannot be guaranteed. Efflorescence, a white deposit, common on concrete and masonry surfaces, is a natural occurrence and no warranty or liability is expressed or implied for this condition.

Wet-cast products, including Rosetta® Hardscape Products, are backed by a lifetime warranty from the manufacturer to the original end user for products used in residential applications. This assurance of product quality is applicable where products have been correctly installed to manufacturer's specifications or industry standards. Any properly installed hardscape material that deteriorates due to the concrete in the product not meeting the design strength specification will be replaced by the manufacturer of the product. Replacement labor and shipping costs are not included in this guarantee. Proof of purchase is required. Retain the warranty tag with batch information for all claims. The following items are not covered by this warranty: color variances and the appearance of surface stains resulting from chemical reactions such as efflorescence or differential curing, damage caused by installation, deterioration caused by de-icing salts or fertilizers, damage resulting from sub-grade settlement or movement, hairline cracks that do not affect the structural performance of the products, spalling of less than three percent of the surface area, contact with chemicals or paint, discoloration due to airborne contamination, staining, oxidation, or improper sealing.

#### COLOR DISCLAIMER

The colors of products shown in this catalog are to be used as representations or guidelines only. The photographic and printing processes are not fully capable of reproducing exact colors of all products. Colors may also change from production run to production run. All products are not warranted as always available in all locations, and R.I. Lampus Company may change, amend, add, or discontinue any product shape or color at the sole discretion of R.I. Lampus Company with no prior notification. Not all colors are available in all shapes. Check with the sales department for availability.

To assure random color distribution, it is recommended that individual blocks be mixed from different pallets on the job site. Actual product colors may vary slightly. We recommend that products be viewed at your local distributor location. Special order colors are available upon request.

#### PRODUCT MAINTENANCE

The face of retaining walls can be stained due to mineral and moisture laden soil in the backfill area as well as from the environment. Cleaners and sealers are available for routine wall maintenance.

Cleaners and sealers are available for surface enhancements and protection when necessary. Any concrete products used for stair tread applications may require a protective sealant to resist adverse effects of de-icing agents.

Snow can be shoveled or plowed from pavers as readily as other pavements. High strength, low absorption R.I. Lampus Company pavers are more resistant to de-icing salts than ordinary concretes, but they can still be damaged by intense applications. Sealers will help to protect the surface.



816 R.I. LAMPUS AVENUE, SPRINGDALE, PA 15144 • 412.362.3800 • LAMPUS.COM











